

LIVE FUNGUS  
Keep Cool

# Eco-T®

Registered and produced by: Plant Health Products (Pty) Ltd.  
Reg. no. 2003/007987/07  
P.O. Box 207, Nottingham Road, 3280  
Tel: +27 (0) 33 266 6130  
E-mail: info@plant-health.co.za  
Web: www.plant-health.co.za



...working with nature

Marketed and distributed by: Madumbi Sustainable Agriculture (Pty) Ltd.  
Tel: +27 (0) 86 104 5261  
Email: support@madumbi.co.za  
Web: www.madumbi.co.za



L6938 Act 36 of 1947  
N-AR 1047  
FRAC CODE: NC

A fungal inoculant for the control of crop root diseases and for enhanced growth of a wide variety of vegetables, crops, ornamentals and *Eucalyptus* species.

**Active ingredient:** *Trichoderma asperellum*  
(min.  $2 \times 10^9$  spores per gram)

#### Nett Contents:

250 g	
1 kg	
Shipping	

Expiry Date.....

Batch no.....



### CAUTION

For detailed application instructions, please refer to enclosed instructions



## Eco-T®

Reg. No. L6938 Act No 36 of 1947  
N-AR 1047

A fungal inoculant for the control of crop root diseases and for enhanced growth of a wide variety of vegetables, crops, ornamentals and *Eucalyptus* species.

**Active ingredient:** *Trichoderma asperellum*  
(min.  $2 \times 10^9$  spores per gram)

Registered by: Plant Health Products (Pty) Ltd.  
Reg. no. 2003/007987/07  
P.O. Box 207, Nottingham Road, 3280  
Tel: +27 (0) 33 266 6130

#### IMPORTANT POINTS TO REMEMBER

- Remember you are working with a living organism.
- Store at 4 - 10°C for maximum shelf-life.
- Do not leave powder or mixture standing in the sun.
- Use within 6 hours of mixing.

#### DIRECTIONS FOR USE

##### SEED TREATMENT

- Seed dressing application rates differ for different crops.
- Apply to maize at a rate of 1 g/kg of seed or 25-50 g/ha, to wheat at 1-2 g/kg seed or 40-80 g/ha, or to soybeans at 1 g/kg seed or 50-75 g/ha, together with a suitable sticker (available from the supplier).
- For rates on other crops please consult your local agent or Plant Health Products or [www.plant-health.co.za](http://www.plant-health.co.za) for details.
- A sticker is not required where Eco-T is added during on-farm treatment with insecticides, compatible fungicides,
- or Rhizobium inoculant.
- Apply as a dry powder to slightly moist seed.

##### DRENCH

- Apply as a drench to seedling trays, seedbeds, potted plants and turf at planting, and monthly thereafter.
- Mix at a rate of 1 g per 4 litres water.
- Mix the required amount of the powder to a thin paste with a small amount of water before adding the remaining water.
- Irrigate the fungus into the root zone after application.
- 250 g of this product treats 3000 m<sup>2</sup> of seedbed or 3000 seedling trays.

#### DISCLAIMER

Although this product has been tested under a variety of conditions, the supplier does not warrant that it will be efficacious under all conditions. Because the active agent is a living organism, its action may be affected by storage, handling, climatic or soil conditions. The supplier is also not responsible for poor performance of the product due to failure of the user to follow the label instructions.

This naturally-occurring organism should not cause damage to crops, vegetation, or the environment, nor harm to man and animals. However, in the unlikely event of this happening, the supplier does not accept responsibility for any damage that may occur.

#### COMPATIBILITY

- Do not mix the fungus with any agrochemicals without first consulting your sales representative.

#### WARNINGS AND PRECAUTIONS

- Keep out of reach of children, uninformed persons and animals.
- May cause slight eye irritation.
- May cause allergic reactions in sensitive persons.
- Do not use after the expiry date.
- Do not mix in containers that have previously been used for toxic substances.
- Wash mixing containers well with soap and water before use.
- Shake or stir the fungus mixture frequently during use to avoid settling out of the product.
- Avoid inhaling the dust.
- Wash hands with soap and water before eating, drinking or smoking.
- Do not use under extreme conditions i.e. above 35°C or at soil/water pH less than 4 or higher than 7.